

Intussusception

EVIDENCE REPOSITORIES

Evidence repositories are collections of best available resources and evidence (clinical guidelines, peer reviewed literature, systematic reviews, etc.), collated by our knowledge synthesis team and content advisors. This evidence repository is not intended to be an exhaustive list of resources for a topic, but rather a curated list of current, evidence-based resources, based on expert consensus of relevance and usability for a general emergency department setting. We search databases (Cochrane Library, PubMed, TRIP Database) and web search engines (Google, Google Scholar) to locate evidence. Additionally, hospital websites are browsed for guidance documents, such as clinical practice guidelines (CPG) for healthcare professionals.

Every effort is made to identify resources that are open access (i.e. publicly available, free of charge, not requiring a subscription).

More information about the creation of our evidence repositories can be found at <https://pubmed.ncbi.nlm.nih.gov/28537762/>

CONTENT TEAM

Thank you to the following content experts and Knowledge Synthesis team who led the development of this evidence repository.

Blake Bulloch, MD

Division Chief, Emergency Medicine, Phoenix Children's Hospital
Associate Professor of Clinical Pediatrics, University of Arizona College of Medicine, Tucson, Arizona

Zebulon Timmins, MD

Emergency Medicine/Urgent Care, Phoenix Children's Hospital

Liza Bialy

Knowledge Synthesis Project Coordinator, Alberta Research Centre for Health Evidence,
Department of Pediatrics, University of Alberta

Intussusception

TREKK developed resources for healthcare providers and parents & families can be found [here](#).

Clinical Guidelines

1. Kwon H, Lee JH, Jeong JH, et al. [A practice guideline for postreduction management of intussusception of children in the emergency department](#). *Pediatr Emerg Care*. 2019;35(8):533-8.
2. Le Saux N. [Recommendations for the use of rotavirus vaccines in infants](#). *Paediatr Child Health*. 2017;22(5):290-4.
3. Vesikari T, Van Damme P, Giaquinto C, et al. [European society for paediatric infectious diseases consensus recommendations for rotavirus vaccination in europe: Update 2014](#). *Pediatr Infect Dis J*. 2015;34(6):635-43.
4. Ito Y, Kusakawa I, Murata Y, et al. [Japanese guidelines for the management of intussusception in children, 2011](#). *Pediatr Int*. 2012;54(6):948-58.
5. Weihmiller SN, Buonomo C, Bachur R. [Appendix from article, "risk of intussusception after monovalent rotavirus vaccination"](#). *Pediatrics*. 2011.

Overviews

1. SickKids. [Intussusception care pathway](#). SickKids. 2022.
2. Sutcliffe J. [BMJ Best practice: Intussusception](#). *BMJ*. 2022.
3. Raymond-Dufresne É, Ghanayem H. [Towards evidence-based emergency medicine: Best BETS from the Manchester Royal Infirmary. BET 2: Can emergency physicians safely rule in or rule out paediatric intussusception in the emergency department using bedside ultrasound?](#) *Emerg Med J*. 2012;29(10):854-5.
4. Cachat F, Ramseyer P. [Towards evidence based medicine for paediatricians. Question 3. Does the administration of glucagon improve the rate of radiological reduction in children with acute intestinal intussusception?](#) *Arch Dis Child*. 2012;97(4):389-91.
5. Best evidence topic reports. Bet 4. [Role of plain abdominal radiograph in the diagnosis of intussusception](#). *Emerg Med J*. 2008;25(2):106-7.
6. Applegate KE. [Clinically suspected intussusception in children: Evidence-based review and self-assessment module](#). *AJR Am J Roentgenol*. 2005;185(3 Suppl):S175-83.

Systematic Reviews

1. Kim PH, Hwang J, Yoon HM, et al. [Predictors of failed enema reduction in children with intussusception: A systematic review and meta-analysis](#). *Eur Radiol*. 2021;31(11):8081-97.
2. Kelley-Quon LI, Arthur LG, Williams RF, et al. [Management of intussusception in children: A systematic review](#). *J Pediatr Surg*. 2021;56(3):587-96.
3. Lin-Martore M, Kornblith AE, Kohn MA, et al. [Diagnostic accuracy of point-of-care ultrasound for intussusception in children presenting to the emergency department: A systematic review and meta-analysis](#). *West J Emerg Med*. 2020;21(4):1008-16.
4. Tsou PY, Wang YH, Ma YK, et al. [Accuracy of point-of-care ultrasound and radiology-performed ultrasound for intussusception: A systematic review and meta-analysis](#). *Am J Emerg Med*. 2019;37(9):1760-9.
5. Amuddhu SK, Chen Y, Nah SA. [Inpatient admission versus emergency department management of intussusception in children: A systemic review and meta-analysis of outcomes](#). *Eur J Pediatr Surg*. 2019;29(1):7-13.

Intussusception

6. Long B, April MD. [What measures improve reduction of intussusception in pediatric patients?](#) Ann Emerg Med. 2018;71(2):236-8.
7. Koch J, Harder T, von Kries R, et al. [Risk of intussusception after rotavirus vaccination.](#) Dtsch Arztebl Int. 2017;114(15):255-62.
8. Kassim P, Eslick GD. [Risk of intussusception following rotavirus vaccination: An evidence based meta-analysis of cohort and case-control studies.](#) Vaccine. 2017;35(33):4276-86.
9. Chew R, Ditchfield M, Paul E, et al. [Comparison of safety and efficacy of image-guided enema reduction techniques for paediatric intussusception: A review of the literature.](#) J Med Imaging Radiat Oncol. 2017;61(6):711-7.
10. Carroll AG, Kavanagh RG, Ni Leidhin C, et al. [Comparative effectiveness of imaging modalities for the diagnosis and treatment of intussusception: A critically appraised topic.](#) Acad Radiol. 2017;24(5):521-9.
11. Fiegel H, Gfroerer S, Rolle U. [Systematic review shows that pathological lead points are important and frequent in intussusception and are not limited to infants.](#) Acta Paediatr. 2016;105(11):1275-9.
12. Sadigh G, Zou KH, Razavi SA, et al. [Meta-analysis of air versus liquid enema for intussusception reduction in children.](#) AJR Am J Roentgenol. 2015;205(5):W542-9.
13. Gray MP, Li SH, Hoffmann RG, et al. [Recurrence rates after intussusception enema reduction: A meta-analysis.](#) Pediatrics. 2014;134(1):110-9.
14. Yang G, Wang X, Jiang W, et al. [Postoperative intussusceptions in children and infants: A systematic review.](#) Pediatr Surg Int. 2013;29(12):1273-9.
15. Beres AL, Baird R. [An institutional analysis and systematic review with meta-analysis of pneumatic versus hydrostatic reduction for pediatric intussusception.](#) Surgery. 2013;154(2):328-34.
16. Soares-Weiser K, Maclehose H, Bergman H, et al. [Vaccines for preventing rotavirus diarrhoea: Vaccines in use.](#) Cochrane Database Syst Rev. 2012;11:Cd008521.
17. Bucher BT, Hall BL, Warner BW, et al. [Intussusception in children: Cost-effectiveness of ultrasound vs diagnostic contrast enema.](#) J Pediatr Surg. 2011;46(6):1099-105.

Key Studies

1. Tonson la Tour A, Desjardins MP, Gravel J. [Evaluation of bedside sonography performed by emergency physicians to detect intussusception in children in the emergency department.](#) Acad Emerg Med. 2021;28(8):866-72.
2. Arroyo AC, Zerzan J, Vazquez H, et al. [Diagnostic accuracy of point-of-care ultrasound for intussusception performed by pediatric emergency medicine physicians.](#) J Emerg Med. 2021;60(5):626-32.
3. Vo A, Levin TL, Taragin B, et al. [Management of intussusception in the pediatric emergency department: Risk factors for recurrence.](#) Pediatr Emerg Care. 2020;36(4):e185-e8.
4. Lee JY, Byun YH, Park JS, et al. [Lactic acid level as an outcome predictor in pediatric patients with intussusception in the emergency department.](#) BMC Pediatr. 2020;20(1):184.
5. Trigylidas TE, Hegenbarth MA, Patel L, et al. [Pediatric emergency medicine point-of-care ultrasound for the diagnosis of intussusception.](#) J Emerg Med. 2019;57(3):367-74.
6. Sujka JA, Dalton B, Gonzalez K, et al. [Emergency department discharge following successful radiologic reduction of ileocolic intussusception in children: A protocol based prospective observational study.](#) J Pediatr Surg. 2019;54(8):1609-12.

Intussusception

7. Levinson H, Rimon A, Scolnik D, et al. [Fever as a presenting symptom in children evaluated for ileocolic intussusception: The experience of a large tertiary care pediatric hospital.](#) *Pediatr Emerg Care.* 2019;35(2):121-4.
8. Lampl BS, Glaab J, Ayyala RS, et al. [Is intussusception a middle-of-the-night emergency?](#) *Pediatr Emerg Care.* 2019;35(10):684-6.
9. Kwon H, Lee JH, Jeong JH, et al. [A practice guideline for postreduction management of intussusception of children in the emergency department.](#) *Pediatr Emerg Care.* 2019;35(8):533-8.
10. Xie X, Wu Y, Wang Q, et al. [A randomized trial of pneumatic reduction versus hydrostatic reduction for intussusception in pediatric patients.](#) *J Pediatr Surg.* 2018;53(8):1464-8.
11. Kimia AA, Williams S, Hadar PN, et al. [Positive guaiac and bloody stool are poor predictors of intussusception.](#) *Am J Emerg Med.* 2018;36(6):931-4.
12. Savoie KB, Thomas F, Nouer SS, et al. [Age at presentation and management of pediatric intussusception: A pediatric health information system database study.](#) *Surgery.* 2017;161(4):995-1003.
13. Kaplan SL, Magill D, Felice MA, et al. [Intussusception reduction: Effect of air vs. Liquid enema on radiation dose.](#) *Pediatr Radiol.* 2017;47(11):1471-6.
14. Huang HY, Huang XZ, Han YJ, et al. [Risk factors associated with intestinal necrosis in children with failed non-surgical reduction for intussusception.](#) *Pediatr Surg Int.* 2017;33(5):575-80.
15. Hawken S, Ducharme R, Rosella LC, et al. [Assessing the risk of intussusception and rotavirus vaccine safety in Canada.](#) *Hum Vaccin Immunother.* 2017;13(3):703-10.
16. Feldman O, Weiser G, Hanna M, et al. [Success rate of pneumatic reduction of intussusception with and without sedation.](#) *Paediatr Anaesth.* 2017;27(2):190-5.
17. Efrati Y, Klin B, Kozler E, et al. [The role of dexamethasone in decreasing early recurrence of acute intussusception in children: A retrospective study.](#) *J Pediatr Surg.* 2017;52(7):1141-3.
18. Zhang Y, Dong Q, Li SX, et al. [Clinical and ultrasonographic features of secondary intussusception in children.](#) *Eur Radiol.* 2016;26(12):4329-38.
19. Tate JE, Yen C, Steiner CA, et al. [Intussusception rates before and after the introduction of rotavirus vaccine.](#) *Pediatrics.* 2016;138(3).
20. Tareen F, Mc Laughlin D, Cianci F, et al. [Abdominal radiography is not necessary in children with intussusception.](#) *Pediatr Surg Int.* 2016;32(1):89-92.
21. Puckett Y, Greenspon J, Fitzpatrick C, et al. [Utility of hospital admission for pediatric intussusceptions.](#) *Pediatr Surg Int.* 2016;32(8):805-9.
22. Ntoulia A, Tharakan SJ, Reid JR, et al. [Failed intussusception reduction in children: Correlation between radiologic, surgical, and pathologic findings.](#) *AJR Am J Roentgenol.* 2016;207(2):424-33.
23. Gfroerer S, Fiegel H, Rolle U. [Ultrasound-guided reduction of intussusception: A safe and effective method performed by pediatric surgeons.](#) *Pediatr Surg Int.* 2016;32(7):679-82.
24. Flaum V, Schneider A, Gomes Ferreira C, et al. [Twenty years' experience for reduction of ileocolic intussusceptions by saline enema under sonography control.](#) *J Pediatr Surg.* 2016;51(1):179-82.
25. Wong CW, Chan IH, Chung PH, et al. [Childhood intussusception: 17-year experience at a tertiary referral centre in Hong Kong.](#) *Hong Kong Med J.* 2015;21(6):518-23.

Intussusception

26. Vega García L, Fuentes-Leonarte V, Tenías JM, et al. [Association between medication and intestinal intussusception in children: A case-crossover study.](#) *Pediatr Emerg Care.* 2015;31(4):250-4.
27. Raval MV, Minneci PC, Deans KJ, et al. [Improving quality and efficiency for intussusception management after successful enema reduction.](#) *Pediatrics.* 2015;136(5):e1345-52.
28. Lessenich EM, Kimia AA, Mandeville K, et al. [The frequency of postreduction interventions after successful enema reduction of intussusception.](#) *Acad Emerg Med.* 2015;22(9):1042-7.
29. Lautz TB, Thurm CW, Rothstein DH. [Delayed repeat enemas are safe and cost-effective in the management of pediatric intussusception.](#) *J Pediatr Surg.* 2015;50(3):423-7.
30. Esposito F, Ambrosio C, De Fronzo S, et al. [Fluoroscopy-guided hydrostatic reduction of intussusception in infancy: Role of pharmacological premedication.](#) *Radiol Med.* 2015;120(6):549-56.
31. Weintraub ES, Baggs J, Duffy J, et al. [Risk of intussusception after monovalent rotavirus vaccination.](#) *N Engl J Med.* 2014;370(6):513-9.
32. Nguyen HN, Kan JH, Guillerman RP, et al. [Intussusception revisited: Is immediate on-site surgeon availability at the time of reduction necessary?](#) *AJR Am J Roentgenol.* 2014;202(2):432-6.
33. Beres AL, Baird R, Fung E, et al. [Comparative outcome analysis of the management of pediatric intussusception with or without surgical admission.](#) *J Pediatr Surg.* 2014;49(5):750-2.
34. Chien M, Willyerd FA, Mandeville K, et al. [Management of the child after enema-reduced intussusception: Hospital or home?](#) *J Emerg Med.* 2013;44(1):53-7.
35. Mandeville K, Chien M, Willyerd FA, et al. [Intussusception: Clinical presentations and imaging characteristics.](#) *Pediatr Emerg Care.* 2012;28(9):842-4.
36. Al-Tokhais T, Hsieh H, Pemberton J, et al. [Antibiotics administration before enema reduction of intussusception: Is it necessary?](#) *J Pediatr Surg.* 2012;47(5):928-30.
37. Weihmiller SN, Buonomo C, Bachur R. [Risk stratification of children being evaluated for intussusception.](#) *Pediatrics.* 2011;127(2):e296-303.
38. Gilmore AW, Reed M, Tenenbein M. [Management of childhood intussusception after reduction by enema.](#) *Am J Emerg Med.* 2011;29(9):1136-40.
39. Morrison J, Lucas N, Gravel J. [The role of abdominal radiography in the diagnosis of intussusception when interpreted by pediatric emergency physicians.](#) *J Pediatr.* 2009;155(4):556-9.
40. Herwig K, Brenkert T, Losek JD. [Enema-reduced intussusception management: Is hospitalization necessary?](#) *Pediatr Emerg Care.* 2009;25(2):74-7.
41. Munden MM, Bruzzi JF, Coley BD, et al. [Sonography of pediatric small-bowel intussusception: Differentiating surgical from nonsurgical cases.](#) *AJR Am J Roentgenol.* 2007;188(1):275-9.
42. Hadidi AT, El Shal N. [Childhood intussusception: A comparative study of nonsurgical management.](#) *J Pediatr Surg.* 1999;34(2):304-7.
43. Daneman A, Alton DJ, Lobo E, et al. [Patterns of recurrence of intussusception in children: A 17-year review.](#) *Pediatr Radiol.* 1998;28(12):913-9.