

Intussusception

DEVELOPMENT TEAM

Thank you to the following **content expert** who led the development of the Intussusception Bottom Line Recommendations:

Zebulon Timmons, MD; Chief, UNMC Division of Emergency Medicine; Associate Professor, UNMC Division of Emergency Medicine, University of Nebraska Medical Center

Thank you to the [TREKK Editorial Committee](#) and editor Dr. Sarah Reid ([CHEO](#)), [CHRIM](#) who provided editorial support and expertise in the development of this resource. Thank you as well to Mateja Carevic, TREKK Project Coordinator ([University of Manitoba](#)) who coordinated the development process.

KEY REFERENCES (as cited in the Intussusception Bottom Line Recommendations):

1. Kelley-Quon I, Arthur LG, et al. [Management of intussusception in children: A systematic review](#). *J Pediatr Surg*. 2021 Mar;56 (3):587-596.
2. Beres AL, Baird R. [An institutional analysis and systemic review with meta-analysis of pneumatic versus hydrostatic reduction for pediatric intussusception](#). *Surgery*. 2013 Aug; 154(2): 328-34.
3. Weihmiller SN, Buonomo C, Bachur R. [Risk stratification of children being evaluated for intussusception](#). *Pediatrics*. 2011 Feb;127(2): e296-303.
4. Chien M, Willyerd FA, Mandeville K, et al. [Management of the child after enema-reduced intussusception: hospital or home](#). *J Emerg Med*. 2013 Jan;44(1):53-7.
5. Gray MP, Li SH, Hoffmann RG, et al. [Recurrence rates after intussusception enema reduction: a meta-analysis](#). *Pediatrics*. 2014 Jul;134(2): 110-9.

For a complete list of the evidence that informed the creation of the Intussusception Bottom Line Recommendations see the Evidence Repository [here](#).

To see our resource development process please visit our website [here](#).